



# 4 3 9 - 7 1 8 4 1 2 0 t h S t r e e t , S u r r e y , B . C . V 3 W 0 M 6

## LOMIKO TO EXPAND CARBON PURITY AND CLASSIFICATION TESTING AT LA LOUTRE

**Vancouver, B.C and Montreal, Quebec May 29, 2017**– Lomiko Metals Inc. (“Lomiko”) (TSX-V: LMR, OTC: LMRMF, FSE: DH8C/DH8B) and Canada Strategic Metals Inc. (“Strategic Metals”) (TSX.V: CJC; FSE: YXEN; OTC-BB: CJCF) plan to conduct further graphite purity and characterization testing at La Loutre based on recent high-grade drill results. The only graphite purity and characterization information on the property was first reported September 24, 2014 from samples obtained previous to drilling campaigns at La Loutre. Testing material from the recent drill holes will provide more accurate information on material that has high purity, contains large flakes and is located near surface. This information will be valuable for the upcoming Pre-Economic Assessment (PEA).

On February 9<sup>th</sup>, 2016, Lomiko Metals and Canada Strategic announced a resource for the La Loutre Flake Graphite Property of 18.4 M Tonnes of 3.19% Indicated and 16.7 M Tonnes at 3.75% Flake Graphite Inferred with a cut-off of 1.5%. The sensitivity table also features 4.1 M Tonnes of 6.5% Indicated and 6.2 M Tonnes at 6.1% Flake Graphite Inferred with a cut-off of 3%. The results are all focused on the [Graphene-Battery Zone](#).

A map of drill holes at the [Refractory Zone](#) which includes 2015 and 2016 results and highlights included 7.74% graphite over 135.60 metres including 16.81% graphite over 44.10 metres from hole LL-16-01, two different intersection in hole LL-16-02 reporting 17.08% graphite over 22.30 metres and 14.80% graphite over 15.10 metres and 110.80 metres of 14.56% Graphite in Hole LL-16-03.

The La Loutre property consists of contiguous claim blocks totalling approximately 2,867.29 hectares (28,67 km<sup>2</sup>) situated approximately 53 km east of Imerys Carbon and Graphite, formerly known as the Timcal Graphite Mine, North America’s only operating graphite mine, and 117 km northwest of Montreal. Previous carbon purity and graphite characterization at La Loutre were encouraging:

### LA LOUTRE GRAPHITE PURITY AND CLASSIFICATION RESULTS

US Mesh Sieve Size	Sample #1 3.46% Cg	Size class	Grade, % Carbon
-200	14.26%	Fine	100.00%
200 – 100 mesh	22.12%	Small	100.00%
100-80 mesh	7.90%	Medium	100.00%
80-50 mesh	19.06%	Large	96.00%
>50 mesh	36.66%	Extra Large	87.72%
Total ( 200)	85.74%	Average Grade	94.74%

US Mesh Sieve Size	Sample #2 5.62% Cg	Size class	Grade, % Carbon
-200	13.00%	Fine	100.00%
200 – 100 mesh	21.26%	Small	98.15%
100-80 mesh	10.46%	Medium	97.56%
80-50 mesh	19.62%	Large	97.30%
>50 mesh	35.67%	Extra Large	96.15%
Total ( 200)	87.00%	Average Grade	97.45%

US Mesh Sieve Size	Sample #3 6.64% Cg	Size class	Grade, % Carbon
-200	14.58%	Fine	99.02%
200 – 100 mesh	23.68%	Small	100.00%
100-80 mesh	9.87%	Medium	100.00%
80-50 mesh	24.38%	Large	100.00%
>50 mesh	27.47%	Extra Large	100.00%
Total ( 200)	85.42%	Average Grade	99.86%

The samples in secure tagged bags were delivered directly to the analytical facility for analysis. In this case, the analytical facility was the ALS minerals in Val-d'Or, Quebec. The samples are weighed and identified prior to sample preparation. The samples are crushed to 70% minus 2 mm, then separated and pulverized to 85% passing 75µm. All samples are analyzed for Carbon Graphite using C-IR18.

Jean-Sebastien Lavallée (OGQ #773), Geologist, is a shareholder of both companies, Executive Chairman of the Board and exploration manager of Canada Strategic and a Qualified Person under NI 43-101, has reviewed and approved the technical content of this release.

For more information on Lomiko Metals, review the website at [www.lomiko.com](http://www.lomiko.com), contact A. Paul Gill at 604-729-5312 or email: [info@lomiko.com](mailto:info@lomiko.com).

On Behalf of the Board

*"A. Paul Gill"*

Chief Executive Officer  
*We seek safe harbor.*

*Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.*